



Model emco Attaché RS



1 2 **3** Indoor areas (zone 3)

Coarse fibre ribbed carpet with high abrasion resistance to cope with heavy usage.



Description

Permanently elastic clean-off floor covering with high abrasion resistance and robustness for applications subject to particularly intensive loads. With maximum cleaning effect and excellent moisture insulation. Available as Coupon with a depth of 2000 mm and a max. width of 3500 mm.



Anti-static



Sound-absorbent



Castor-resistant



Suitable for stairs



Diathermal



DS (EN 13893)



Resistant strength



Highly suitable for property



Model emco Attaché RS

Usage area	Extremely heavy
Construction	Cut-loop
Pile above substrate	100% polypropylene
Backing material	Latex fine profile
Pile weight / fibre weight	1.700
Total weight (g/m²)	3.000

Overall height (mm)	9
Slip resistance	DS (EN 13893)
Supplied as mats	max. 2000 x 3500 mm
Product characteristics	Abrasion resistance
Colours	Light grey, anthracite, red, brown, sand
Brand	emco

Clean-off system

Model emco Attaché RS

Colours



Light grey no. 220



Anthracite no. 200



Red no. 305



Brown no. 485



Sand no. 430

Subject to technical modifications

emco Bautechnik GmbH · Breslauer Straße 34 - 38 · D-49808 Lingen (Ems)
· Germany · Phone: +49 (0) 591/9140-500 · Fax: +49 (0) 591/9140-852 · Email:
bau@emco.de · www.emco-bau.com

The logo for EMCO, featuring the word "EMCO" in a bold, red, sans-serif font with a white outline.